DATA SHEET.

SWEEPER. AKS 80 VDM 108





G. Staehle GmbH u. Co. KG Mercedesstraße 15 D 70372 Stuttgart Telefon +49 (0) 7 11/9544-960 Telefax +49 (0) 7 11/9544-941 export@columbus-clean.com www.columbus-clean.com



THE LARGE RIDE-ON SWEEPER. FOR MAJOR APPLICATIONS. WITH YANMAR DIESEL ENGINE.

AKS 80 VDM 108

- O The large ride-on sweeper with well O Cylinder cartridge filter, brush unit O Powerful suction and large engineered components, 1260 mm working width with side brushes and electrical filter shaker for a consistently high sweeping performance in all large areas.
- Sweeps safely without leaving a trace: non-marking wheels and lateral sealing rubbers for indoor
- and motor are located apart to protect the traction drive from soiling.
- With a solid steel construction the ride-on sweeper is extremely robust, with shock absorbers on each side brushes to protect both the machine and clients property.
- polyester cylinder cartridge filter with 6.4 m² filter area.
- O Long operating times, short stops: the extendable dirt container holds 108 litres; optional hydraulic operated high dumping system lifts up to a height of 145 cm for emptying of dirt container directly into a larger container.
- Optionally, the dirt container can be equipped with three small inner containers for convenient manual emptying.



AKS 80IVDM 108

	LxBxH	1560 x 1020 x 1300
	Sweeping principle	overthrow
	Working width w/o side brushes	780 mm
	with 1 side brush	980 mm
	with 2 side brushes	1260 mm
	Theoretical coverage max.	9000 m²/h
	Empty weight w/o battery	480 kg
	Operating weight*	557 kg
	Waste container	108 I

FILTER

Filter size	6,4 / 5,5** m ²
Shaker	electric

TRACTION

Mode of drive	Diesel Yanmar 4,9 kW
Traction drive	front wheel
Speed max.	7,5 km/h
Climbing ability	18 %

^{*}Operating weight includes above-mentioned battery, 90% tankful and 75kg user

^{** 6,4} $\,\mathrm{m^2}$ with cylinder cartridge (standard), 5,5 $\,\mathrm{m^2}$ with polyester pocket filter (optional)

