DATA SHEET. RIDE-ON SCRUBBER DRYER. ARA 66BM 70





G. Staehle GmbH u. Co. KG Mercedesstrasse 15 D 70372 Stuttgart Telephone +49 (0) 7 11/95 44-960 export@columbus-clean.com www.columbus-clean.com

columbus

ERGONOMIC. EFFICIENT. AND EXCEPTIONALLY COMPACT. ARA 66BM70

- With a capacity of 70 litres, this ride-on scrubber dryer can perform efficient operations, even - and especially – in hospitals, supermarkets and other small buildings even with cramped and heavily-furnished areas.
- The standard electronic water dosing system allows exact water supply following the needs of different cleaning tasks.
- Whether the operator is just 155 cm or 195 cm tall, the long seat allows everyone to find the right position to work fatiguefree and relaxed.
- () Fast, easy and hygienic changing of brushes and pad holders: the brushes and pad holders do not only spin-off with the press of a button, they also spin-on automatically.

- Fresh water can be filled up in an instant - via the integrated, industry-standard system connector or via the large filling opening.
- HACCP hygiene standards: the solution and recovery tank have inspection openings and can be thoroughly cleaned, the lid seals can be removed without tools.
- O Robust mechanics: simple operating switches to turn the machine on and off and for forward and backward movements. Mechanical lowering of brushes and squeegee. O Just 138 cm long and 85 cm
- O Powerful traction motor and rearwheel drive allow scrubbing on inclines of up to 12%.
- Optional: Various tyre variants for optimum adaption to diverse working conditions.

- Easy service: the seat can be lifted up to provide free access to batteries and components.
- The arch-shaped squeegee tool adapts to the movements of the machine and will perfectly pick up without leaving any waste water even on tight turns.
- Operators can act quickly and flexibly thanks to a low step height, an open cockpit on both sides and a spacious footwell.
- wide, the ride-on scrubber dryer fits into all standard lifts and and can easily negotiate narrow checkout areas.



MECHANICS INSTEAD OF ELECTRONICS. AND LOTS OF USEFUL FEATURES.

- Optional: silent-version that operates at only 59 dB(A) and a security-kit for advanced security when used in facilities that are open to the public.
- C) Environmentally friendly: the optional chemical dosage provides for a consistently high cleaning level with a low consumption of cleaning products. The 8 litres chemical tank can be removed without tools.
- () A faster clean: the area covered every hour is up to 600 m² larger compared to the performance of walk-behind scrubber dryers of the same size.
- O DEKRA certified.
- And: made in Germany.



Pull-out filter for large debris




With small operator

Emergency stop button



With tall operator





ARA 66 BM 70

380 x 680 x 1170 mm
60 mm
50 mm
960 / 4620 m²/h*
3/59** dB(A)
87 kg
56 kg

BATTERIES/ELECTRICAL DATA

24 V
1690 W
4
200 Ah 5
180 Ah 5

TANK

Solution tank capacity	70
Recovery tank capacity	80

SUCTION

Low pressure max.	110 mbar
Air flow max.	32 l/s

TRACTION

Power max.	750 W
Speed max.	6 / 7 km/h

BRUSHES AND PAD HOLDERS

Number	2
Speed	180 rpm
Brush pressure	30 kg

*available with 6 km/h or 7 km/h **silent version, optional.

