

Catalogue

Machines and Accessories.

A red, irregular, rounded shape, resembling a drop or a stylized letter 'C', positioned to the right of the 'Catalogue' text.

2026

columbus



Easy. Trusted. Future Ready.

Highly efficient ride-on scrubber for large areas: long operating time, electronic water dosing system, low-entry design and auto-matic brush pick-up system for maximum comfort.

ARA 85|BM 110.

columbus

columbus-clean.com

Product Range 2026

Scrubber Dryers

10 to 200 Liter

Page 4 - 12

Sweepers

40 to 150 cm Working Width

Page 14 - 17

Single Disc Machines / Excenter

140 to 1600 RPM

Page 18 - 21

Spray Extraction Machines

For comprehensive carpet care

Page 22

Dry Vacuum Cleaners & Upright Vacuum Cleaners

Commercial vacuum cleaners for retail and hospitality

Page 23 - 24

Wet & Dry Vacuum Cleaners

30 to 78 liter

Page 25 - 26

Industrial Vacuum Cleaners

10 to 100 liter

Page 27 - 29

Special Cleaning Machines

For travelator and escalator

Page 30

Pads, Abrasive Paper & Grinder Mesh

For scrubber dryers and single disc machines, accessories detergents

Page 31 - 33

Detergent & Care Products

For scrubber dryers, spray extraction machines and single disc machines

Page 33

General Information

General terms of conditions

Page 34

Scrubber dryers

RA 35|K 10
RA 43|K 40
RA 55|K 40



shown with optional equipment

Technical data	RA 35 K 10	RA 43 K 40	RA 55 K 40
Power W	470	1600	1600
Working width mm	350	430	550
Suction width mm	420	735	735
Theoretical coverage m ² /h	1400	1720	2200
Solution tank capacity l	10	40	40
Recovery tank capacity l	11,5	45	45
Number of brushes	1	1	1
Rated Voltage V	230	230	230
Mains cable m	12	25,3	25,3
Dimensions l x w x h mm	735 x 490 x 650	1090 x 475 x 1055	1130 x 525 x 1055
Operating weight max. kg	49	105	106
	Art. No.	Art. No.	Art. No.
	11 410 001	14 020 001	14 020 101

Accessories	Art. No.	Art. No.	Art. No.
Set squeegee blades	21 027 030	20 621 033	20 621 033
Set squeegee blades, oil resistant	21 027 031	21 668 530	21 668 530
V-ERASER		21 629 730	21 629 730
Microfiber mop		21 629 800	21 629 800
Extension cable 12 m red	20 588 830	20 588 830	20 588 830
Extension cable 25 m grey	20 588 930	20 588 930	20 588 930

Scrub brushes	ø 350 mm/14"	ø 430 mm/17"	ø 530 mm/21"
Standard	21 026 603	20 078 331	20 229 138
Soft	21 026 602	20 078 332	20 229 139
Extra soft	21 026 601		
Sica 120	21 026 700	20 078 335	20 229 141
5K		20 078 344	20 229 148
columbus pad holder	ø 350 mm/14" 21 026 800	ø 430 mm/17" 20 059 044	ø 495 mm/20" 20 229 142
Pad fixing device		20 148 200	20 148 200
Splash guard		21 042 031	21 042 032

Pads from page 31, Detergents page 33

Scrubber dryers

RA 35|B 10

RA 43|B 20

RA 43|B 40

RA 55|B 40



shown with optional equipment

Technical data	RA 35 B 10	RA 43 B 20	RA 43 B 40	RA 55 B 40
Power W	440	950	950	950
Working width mm	350	430	430	550
Suction width mm	420	735	735	850
Theoretical coverage m²/h	1400	1720	1720	2200
Solution tank capacity l	10	20	40	40
Recovery tank capacity l	11,5	23	45	45
Brushes	1	1	1	1
Rated Voltage V	12	24	24	24
Dimensions l x w x h mm	735 x 490 x 650	800 x 530 x 790	1190 x 510 x 980	1250 x 570 x 980
Operating weight max. kg	74 (63 Ah 5)	134 (76 Ah 5)	196 (105 Ah 5)	198 (105 Ah 5)
Standard equipment		Quick-Stopp	with or without Quick-Stopp	with or without Quick-Stopp
	Art. No.	Art. No.	Art. No.	Art. No.
W/o Quick-Stopp, w/o charger			10 442 310	10 452 310
W/o Quick-Stopp, with int. charger	11 400 002		10 443 310	10 453 310
With Quick-Stopp, w/o charger		12 564 304	10 444 310	10 454 310
With Quick-Stopp and int. charger		12 514 304	10 445 310	10 455 310
Optionals ex works		Art. No.	Art. No.	Art. No.
noBAC® version		21 374 031	21 374 035	21 374 035
Noise insulation "silent"		20 543 435		
Chemical dosing system			21 524 230	21 524 230
Electronical water dosage			21 417 531	21 417 531
Accessories	Art. No.	Art. No.	Art. No.	Art. No.
Set squeegee blades	21 027 030	20 621 033	20 621 033	20 620 531
Set squeegee blades, oil resistant	21 027 031	21 668 530	21 668 530	21 668 330
V-ERASER		21 629 730	21 629 730	21 629 730
Microfiber mop		21 629 800	21 629 800	21 629 800
Scrub brushes	ø 350 mm/14"	ø 430 mm/17"	ø 430 mm/17"	ø 530 mm/21"
Standard	21 026 603	21 260 331	21 260 331	21 518 431
Soft	21 026 602	21 260 332	21 260 332	21 518 432
Extra Soft	21 026 601			
Sica 120	21 026 700	21 260 333	21 260 333	21 518 433
5K		21 260 334	21 260 334	21 518 436
	ø 350 mm/14"	ø 430 mm/17"	ø 430 mm/17"	ø 530 mm/21"
columbus pad holder	21 026 800	21 260 431	21 260 431	21 518 531
Pad holder noBAC®		21 651 600	21 651 600	21 651 700
columbus bristle pad holder		21 260 433	21 260 433	21 518 533
Pad fixing device		21 072 700	21 072 700	21 072 700
Tool-Board			21 053 532	21 053 532
Batteries Gel	Art. No.	Art. No.	Art. No.	Art. No.
Battery 12 V/55Ah Optima	21 042 700			
Battery 12 V/63Ah5 Gel	21 026 900			
Battery set 24V/63Ah5		21 026 930		
External charger 24V/10A		20 578 700		
Battery set 24V/76Ah5		20 263 701	20 263 701	20 263 701
Battery set 24V/85Ah5			21 648 701	21 648 701
Battery set 24V/105Ah5			20 264 200	20 264 200
External charger 24V/15A		20 578 800	20 578 800	20 578 800
Batteries Li-Ion		Art. No.	Art. No.	Art. No.
Battery Li-Ion 24V/50Ah		21 750 631	21 750 631	21 750 631
Battery Li-Ion 24V/100Ah		21 750 632	21 750 632	21 750 632

Pads from page 31, Detergents page 33

Scrubber dryers

RA 43|BM 40

RA 55|BM 40

RA 55|BM 40 CYCLE



shown with optional equipment

Technical data	RA 43 BM 40	RA 55 BM 40	RA 55 BM 40 CYCLE
Power W	1130	1130	1130
Working width mm	430	550	550
Suction width mm	735	850	850
Theoretical coverage m²/h	1720	2200	2200
Solution tank capacity l	40	40	40
Recovery tank capacity l	45	45	45
Brushes	1	1	1
Rated Voltage V	24	24	24
Dimensions l x w x h mm	1190 x 510 x 980	1250 x 570 x 980	1250 x 570 x 980
Operating weight max. kg	203 (105 Ah 5)	205 (105 Ah 5)	205 (105 Ah 5)
Standard equipment	Drive system, Quick-Stopp	Drive system, Quick-Stopp	Drive system, Quick-Stopp Tank made from 100% recycled material
	Art. No.	Art. No.	Art. No.
Without charger	10 446 310	10 456 310	10 456 315
With on-board charger	10 447 310	10 457 310	10 457 323
Optionals ex works	Art. No.	Art. No.	Art. No.
noBAC® version	21 374 035	21 374 035	
Chemical dosing system	21 524 230	21 524 230	21 524 230
Electronical water dosage	21 417 531	21 417 531	21 417 531
Accessories	Art. No.	Art. No.	Art. No.
Set squeegee blades	20 621 033	20 620 531	20 620 531
Set squeegee blades, oil resistant	21 668 530	21 668 330	21 668 330
V-ERASER	21 629 730	21 629 730	21 629 730
Microfiber mop	21 629 800	21 629 800	21 629 800
Scrub brushes	ø 430 mm/17"	ø 530 mm/21"	ø 530 mm/21"
Standard	21 260 331	21 518 431	21 518 431
Soft	21 260 332	21 518 432	21 518 432
Sica 120	21 260 333	21 518 433	21 518 433
5K	21 260 334	21 518 436	21 518 436
	ø 430 mm/17"	ø 530 mm/21"	ø 530 mm/21"
columbus pad holder	21 260 431	21 518 531	21 518 531
Pad holder noBAC®	21 651 600	21 651 700	21 651 700
columbus bristle pad holder	21 260 433	21 518 533	21 518 533
Pad fixing device	21 072 700	21 072 700	21 072 700
Tool-Board	21 053 532	21 053 532	21 053 532
Batteries Gel	Art. No.	Art. No.	Art. No.
Battery set 24V/76Ah5	20 263 701	20 263 701	20 263 701
Battery set 24V/85Ah5	21 648 701	21 648 701	21 648 701
Battery set 24V/105Ah5	20 264 200	20 264 200	20 264 200
External charger 24V/15A	20 578 800	20 578 800	20 578 800
Batteries Li-Ion	Art. No.	Art. No.	Art. No.
Battery Li-Ion 24V/50 Ah	21 750 631	21 750 631	21 750 631
Battery Li-Ion 24V/100 Ah	21 750 632	21 750 632	21 750 632

Pads from page 31, Detergents page 33

Scrubber dryers

RA 55|B 60
RA 55|BM 60
RA 66|BM 60



shown with optional equipment

Technical data	RA 55 B 60	RA 55 BM 60	RA 66 BM 60
Power W	990	1130	1180
Working width mm	550	550	660
Suction width mm	850	850	850
Theoretical coverage m²/h	2200	2200	2640
Solution tank capacity l	60	60	60
Recovery tank capacity l	64	64	64
Brushes	1	1	2
Rated Voltage V	24	24	24
Dimensions l x w x h mm	1265 x 680 x 1005	1325 x 680 x 1005	1265 x 680 x 1005
Operating weight max. kg	220 (105 Ah 5)	231 (105 Ah 5)	243 (105 Ah 5)
Standard equipment	Quick-Stopp, electronical water dosage	Drive system, Quick-Stopp, electronical water dosage, Quick-Fill	Drive system, Quick-Stopp, electronical water dosage, Quick-Fill
	Art. No.	Art. No.	Art. No.
Without charger	10 654 410	10 656 410	10 666 410
With on-board charger	10 655 410	10 657 410	10 667 410
Optionals ex works	Art. No.	Art. No.	Art. No.
noBAC® version	21 711 130	21 711 130	21 711 130
Chemical dosing system	21 662 830	21 662 830	21 662 830
Double protection roller set	21 058 230	21 058 230	21 058 230
Automatic brush lift			21 936 130
Accessories	Art. No.	Art. No.	Art. No.
Set squeegee blades	20 620 531	20 620 531	20 620 531
Set squeegee blades, oil resistant	21 668 330	21 668 330	21 668 330
V-ERASER	21 629 730	21 629 730	21 629 730
Microfiber mop	21 629 800	21 629 800	21 629 800
Scrub brushes	ø 530 mm/21"	ø 530 mm/21"	ø 330 mm/13", 2x
Standard	21 518 431	21 518 431	21 072 631
Soft	21 518 432	21 518 432	21 072 632
Sica 120	21 518 433	21 518 433	21 072 633
5K	21 518 436	21 518 436	21 072 636
	ø 530 mm/21"	ø 530 mm/21"	ø 330 mm/13", 2x
columbus pad holder	21 518 531	21 518 531	21 072 531
Pad holder noBAC®	21 651 700	21 651 700	21 651 500
columbus bristle pad holder	21 518 533	21 518 533	21 072 533
Pad fixing device	21 072 700	21 072 700	21 072 700
Tool-Board	21 053 531	21 053 531	21 053 531
Filling hose	21 654 000	21 654 000	21 654 000
Batteries Gel	Art. No.	Art. No.	Art. No.
Battery set 24V/105Ah5	20 264 200	20 264 200	20 264 200
External charger 24V/15A*	20 578 800	20 578 800	20 578 800
* 1 connecting cable 20650332 is needed, please order separately (free of charge)			
Batteries Li-Ion	Art. No.	Art. No.	Art. No.
Battery Li-Ion 24V/100 Ah	21 750 632	21 750 632	21 750 632

Pads from page 31, Detergents page 33

Scrubber dryers

RA 55|BM 60 IND

RA 66|BM 60 IND

RA 85|BM 90



shown with optional equipment

Technical data	RA 55 BM 60 IND	RA 66 BM 60 IND	RA 85 BM 90
Power W	1340	1340	2340
Working width mm	550	660	850
Suction width mm	850	980	980
Theoretical coverage m ² /h	2200	2640	3400
Solution tank capacity l	60	60	90
Recovery tank capacity l	60	60	95
Brushes	1	2	2
Rated Voltage V	24	24	24
Dimensions l x w x h mm	1470 x 550 x 1100	1375 x 680 x 1100	1380 x 890 x 1235
Operating weight max. kg	324 (180 Ah 5)	331 (180 Ah 5)	436 (240 Ah 5)
Standard equipment	Drive System, Quick-Stopp, Quick-Fill	Drive System, Quick-Stopp, Quick-Fill	Drive System, Quick-Stopp, Quick-Fill electronical water dosage,
	Art. No.	Art. No.	Art. No.
Without charger	16 155 001	16 166 001	10 986 110
With on-board charger	16 155 101	16 166 101	10 987 110

Optionals ex works	Art. No.	Art. No.	Art. No.
Noise insulation "silent"	21 076 330	21 076 330	
Chemical dosing system	21 061 931	21 061 932	21 596 330
Performance-Kit	21 374 130	21 374 130	
Double protection roller set	21 058 230	21 058 230	21 058 230
Set of wheels PU			21 453 130

Accessories	Art. No.	Art. No.	Art. No.
Set squeegee blades	20 620 531	20 620 031	20 620 031
Set squeegee blades, oil resistant	21 668 330	21 668 730	21 668 730
V-ERASER	21 629 730		
Microfiber mop	21 629 800		

Scrub brushes	ø 530 mm/21"	ø 330 mm/13", 2x	ø 430 mm/17", 2x
Standard	20 229 138	21 072 631	21 260 331
Soft	20 229 139	21 072 632	21 260 332
Sica 120	20 229 141	21 072 633	21 260 333
5K	20 229 148	21 072 636	21 260 334
	ø 495 mm/20"	ø 330 mm/13", 2x	ø 430 mm/17", 2x
columbus pad holder	20 229 142	21 072 531	21 260 431
Pad holder noBAC®		21 651 500	21 651 600
columbus bristle pad holder		21 072 533	21 260 433
Pad fixing device	20 148 200	21 072 700	21 072 700
Tool-Board	21 053 530	21 053 530	21 053 533
Splash guard	21 042 032		

Batteries Gel	Art. No.	Art. No.	Art. No.
Battery set 24V/105Ah5	20 264 200	20 264 200	
External charger 24V/15A*	20 578 800	20 578 800	
Battery set 24V/180Ah5	21 163 800	21 163 800	21 163 800
External charger 24V/25A	20 578 902	20 578 902	20 578 902
Battery set 24V/240Ah5			21 648 500
External charger 24V/30A			20 648 700
Battery set 24V/305Ah5**			21 748 800
External charger 24V/40A			21 463 001

* 1 connecting cable 20650332 is needed, please order separately (free of charge)

** Only useable with external charger

Batteries Li-Ion	Art. No.	Art. No.	Art. No.
Battery Li-Ion 24V/100 Ah	21 750 632	21 750 632	
Battery Li-Ion 24V/150 Ah	21 750 633	21 750 633	21 750 633
Battery Li-Ion 24V/200 Ah			21 750 634

Pads from page 31, Detergents page 33

Scrubber dryers

RA 55|BM 40 INOX
RA 66|BM 60 INOX
ARA 66|BM 70 INOX



shown with optional equipment

Technical data	RA 55 BM 40 INOX	RA 66 BM 60 INOX	ARA 66 BM 70 INOX
Power W	1180	1180	1690
Working width mm	550	660	660
Suction width mm	850	850	850
Theoretical coverage m ² /h	2200	2640	4620 (with 7 km/h)
Solution tank capacity l	40	60	70
Recovery tank capacity l	45	64	80
Brushes	1	2	2
Rated Voltage V	24	24	24
Dimensions l x w x h mm	1250 x 570 x 980	1265 x 680 x 1005	1380 x 680 x 1170
Operating weight max. kg	205 (105 Ah 5)	243 (105 Ah 5)	456 (180 Ah 5)
Standard equipment	Drive system, Quick-Stopp, automatic brush lift, electronical water dosage, noBAC®	Drive system, Quick-Stopp, automatic brush lift, electronical water dosage, noBAC®	Quick-Stopp, electronical water dosage, noBAC®
	Art. No.	Art. No.	Art. No.
Without charger	10 456 312	10 666 411	17 326 102
With on-board charger	10 457 311	10 667 413	17 316 107

Optionals ex works	Art. No.	Art. No.	Art. No.
Chemical dosing system	21 524 230	21 662 830	21 261 530
Double protection roller set		21 058 230	
Noise insulation "silent"			21 261 930
Security kit (flash light)			21 174 831
Set of wheels PU			21 453 130
Backrest depth adjustable			21 651 830
BluePoint LED Warning light			21 667 031

Accessories	Art. No.	Art. No.	Art. No.
Set squeegee blades	20 620 531	20 620 531	20 620 531
Set squeegee blades, oil resistant	21 668 330	21 668 330	21 668 330
V-ERASER	21 629 730	21 629 730	21 629 730
Microfiber mop	21 629 800	21 629 800	21 629 800
Chemical tank			21 169 333
Bumper wheel (chassis right)			21 053 730

Scrub brushes	ø 530 mm/21"	ø 330 mm/13", 2x	ø 330 mm/13", 2x
Standard	21 518 431	21 072 631	21 072 631
Soft	21 518 432	21 072 632	21 072 632
Sica 120	21 518 433	21 072 633	21 072 633
5K	21 518 436	21 072 636	21 072 636
columbus pad holder	ø 530 mm/21"	ø 330 mm/13", 2x	ø 330 mm/13", 2x
Pad holder noBAC®	21 518 531	21 072 531	21 072 531
Pad holder noBAC®	21 651 700	21 651 500	21 651 500
columbus bristle pad holder	21 518 533	21 072 533	21 072 533
Pad fixing device	21 072 700	21 072 700	21 072 700
Tool-Board	21 053 532	21 053 531	
Filling hose		21 654 000	

Batteries Gel	Art. No.	Art. No.	Art. No.
Battery set 24V/76Ah5	20 263 701		
Battery set 24V/85Ah5	21 648 701		
Battery set 24V/105Ah5	20 264 200	20 264 200	20 264 200
External charger 24V/15A*	20 578 800	20 578 800	20 578 800
Battery set 24V/180Ah5			21 163 800
External charger 24V/25A			20 578 902

* RA66|BM 60 INOX and ARA 66|BM 70 INOX: 1 connecting cable 20650332 is needed, please order separately (free of charge)

Batteries Li-Ion	Art. No.	Art. No.	Art. No.
Battery Li-Ion 24V/50 Ah	21 750 631		
Battery Li-Ion 24V/100 Ah	21 750 632	21 750 632	21 750 632
Battery Li-Ion 24V/150 Ah			21 750 633

Pads from page 31, Detergents page 33

Ride-on Scrubber dryers

ARA 66|BM 70

ARA 66|BM 100

ARA 80|BM 100



shown with optional equipment

Technical data	ARA 66 BM 70	ARA 66 BM 100	ARA 80 BM 100
Power W	1690	2290	2290
Working width mm	660	660	800
Suction width mm	850	850	980
Theoretical coverage m ² /h	4620 (with 7 km/h)	4620	5600
Solution tank capacity l	70	100	100
Recovery tank capacity l	80	115	115
Brushes	2	2	2
Rated Voltage V	24	24	24
Dimensions l x w x h mm	1380 x 680 x 1170	1380 x 730 x 1325	1380 x 900 x 1325
Operating weight max. kg	456 (180 Ah 5)	658 (240 Ah 5)	663 (240 Ah 5)
Standard equipment	Electronical water dosage, Quick-Fill		
	Art. No.	Art. No.	Art. No.
Without charger	17 326 101	10 026 001	10 028 001
With on-board charger	17 316 101	10 026 101	10 028 101

Optionals ex works	Art. No.	Art. No.	Art. No.
noBAC® version	21 374 036	21 374 034	21 374 034
Chemical dosing system	21 261 530	20 970 630	20 970 630
Noise insulation "silent"	21 261 930	21 010 432	21 010 431
Security kit (flash light)	21 174 831	21 044 531	21 044 531
Set of wheels PU	21 453 130	21 453 130	21 453 130
Backrest depth adjustable	21 651 830		
BluePoint LED Warning light	21 667 031		

Accessories	Art. No.	Art. No.	Art. No.
Set squeegee blades	20 620 531	20 620 531	20 620 031
Set squeegee blades, oil resistant	21 668 330	21 668 330	21 668 730
Side shift rubber strip		20 968 801	20 968 801
Side shift rubber strip, oil resistant		21 683 900	21 683 900
V-ERASER	21 629 730	21 629 730	
Microfiber mop	21 629 800	21 629 800	
Chemical tank	21 169 331		
Raised footwell	21 726 530		
Bumper wheel (chassis right)	21 053 730		

Scrub brushes	ø 330 mm/13", 2x	ø 330 mm/13", 2x	ø 430 mm/17", 2x
Standard	21 072 631	20 071 643	20 078 331
Soft	21 072 632	20 071 637	20 078 332
Sica 120	21 072 633		20 078 335
5K	21 072 636		20 078 344
	ø 330 mm/13", 2x	ø 320 mm/13", 2x	ø 430 mm/17", 2x
columbus pad holder	21 072 531	20 253 631	20 253 531
Pad holder noBAC®	21 651 500		
columbus bristle pad holder	21 072 533		
Pad fixing device	21 072 700	20 148 200	20 148 200

Batteries Gel	Art. No.	Art. No.	Art. No.
Battery set 24V/105Ah5	20 264 200		
External charger 24V/15A*	20 578 800		
Battery set 24V/180Ah5	21 163 800	21 163 800	21 163 800
External charger 24V/25A	20 578 902	20 578 902	20 578 902
Battery set 24V/240Ah5		21 648 500	21 648 500
External charger 24V/30A		20 648 700	20 648 700
Battery set 24V/280Ah5**		20 649 200	20 649 200
External charger 24V/40A		20 648 800	20 648 800
Battery set 24V/305Ah5**		21 748 800	21 748 800
External charger 24V/40A		21 463 001	21 463 001

* 1 connecting cable 20650332 is needed, please order separately (free of charge)

** Only useable with external charger

Batteries Li-Ion	Art. No.	Art. No.	Art. No.
Battery Li-Ion 24V/100 Ah	21 750 632		
Battery Li-Ion 24V/150 Ah	21 750 633	21 750 633	21 750 633
Battery Li-Ion 24V/200 Ah		21 750 634	21 750 634

Pads from page 31, Detergents page 33

Ride-on Scrubber dryers

ARA 85|BM 120
ARA 85|BM 140
ARA 85|BM 140 W



NEW

shown with optional equipment

Technical data	ARA 85 BM 120	ARA 85 BM 140	ARA 85 BM 140 W
Power W	2395	3050	2650
Working width mm	850	850	890
Suction width mm	980	980	980
Theoretical coverage m ² /h	5100	5950	6230
Solution tank capacity l	120	140	140
Recovery tank capacity l	140	150	150
Brushes	2	2	2
Rated Voltage V	24	24	24
Dimensions l x w x h mm	1490 x 880 x 1260	1490 x 880 x 1330	1600 x 1040 x 1320
Operating weight max. kg	596 (240 Ah 5)	690 (320 Ah 5)	715 (320 Ah 5)
Standard equipment	Electronical water dosage, Quick-Fill	Electronical water dosage, Quick-Fill, Sideshifts, Comfort seat, Armrest left	Cylindrical brushes, electronical water dosage, Quick-Fill, Sideshifts, Comfort seat, Armrest left
	Art. No.	Art. No.	Art. No.
Without charger	12 028 101	11 488 110	11 488 115
With on-board charger	12 018 101	11 489 110	11 489 125

Optionals ex works	Art. No.	Art. No.	Art. No.
Chemical dosing system	21 261 531	21 715 930	21 715 930
Noise insulation "silent"	21 464 430		
Security kit (flash light)	21 462 230	21 716 030	21 716 030
Set of wheels PU	21 453 130		
Backrest depth adjustable	21 651 830		
BluePoint LED Warning light	21 667 031	21 716 130	21 716 130
Manual vacuum wand		21 716 230	21 716 230
Armrest right side		21 716 330	21 716 330
Drainage kit (solution tank)		21 716 430	21 716 430
Tank cleaning kit/spray gun		21 716 530	21 716 530
Climbing kit		21 788 030	21 788 030
Side brush			21 730 430

Accessories	Art. No.	Art. No.	Art. No.
Set squeegee blades	20 620 031	20 620 031	20 620 031
Set squeegee blades, oil resistant	21 668 730	21 668 730	21 668 730
Side shift rubber strip		21 696 500	21 696 500
Chemical tank	21 460 930		
Raised footwell	21 726 530		

Scrub / Cylindrical brushes	ø 430 mm/17", 2x	ø 430 mm/17", 2x	855 mm, 2x
Standard	21 260 331	21 260 331	21 783 300
Soft	21 260 332	21 260 332	
Sica 120	21 260 333	21 260 333	
5K	21 260 334	21 260 334	
	ø 430 mm/17", 2x	ø 430 mm/17", 2x	
columbus pad holder	21 260 431	21 260 431	
Pad holder noBAC®	21 651 600	21 651 600	
columbus bristle pad holder	21 260 433	21 260 433	
Pad fixing device	21 072 700	21 072 700	

Batteries Gel	Art. No.	Art. No.	Art. No.
Battery set 24V/180Ah5	21 163 800		
External charger 24V/25A	20 578 902		
Battery set 24V/240Ah5	21 648 500	21 648 500	21 648 500
External charger 24V/30A	20 648 700	20 648 700	20 648 700
Battery set 24V/280Ah5		20 649 200	20 649 200
External charger 24V/40A		20 648 800	20 648 800
Battery set 24V/305Ah5*	21 748 800	21 748 800	21 748 800
External charger 24V/40A	21 463 001	21 463 001	21 463 001

* ARA 85|BM 120: Only useable with external charger

Batteries Li-Ion	Art. No.	Art. No.	Art. No.
Battery Li-Ion 24V/150 Ah	21 750 633	21 750 633	21 750 633
Battery Li-Ion 24V/200 Ah	21 750 634	21 750 634	21 750 634

Pads from page 31, Detergents page 33

Ride-on Scrubber dryers

ARA 100|BM 200

ARA 100|BM 200 W



shown with optional equipment

Technical data	ARA 100 BM 200	ARA 100 BM 200 W
Power W	3750	3450
Working width mm	1020	1020
Suction width mm	1200	1200
Theoretical coverage m ² /h	9000	9000
Solution tank capacity l	200	200
Recovery tank capacity l	220	220
Brushes	2	2
Rated Voltage V	36	36
Dimensions l x w x h mm	1990 x 1120 x 1455	1990 x 1120 x 1455
Operating weight max. kg	1140 (320 Ah 5)	1160 (320 Ah 5)
Standard equipment	Electronical water dosage, Quick-Fill, spray gun, security kit, armrests, safety belt, rear bumper, working light LED	Cylindrical brushes, electronical water dosage, spray gun, security kit, armrests, safety belt, rear bumper, working light LED
	Art. No.	Art. No.
Without charger	12 008 110	12 008 111
With on-board charger	12 009 110	12 009 111
Optionals ex works	Art. No.	Art. No.
Chemical dosing system	21 622 030	21 622 030
All-wheel-drive	21 597 730	21 597 730
Side brush	21 613 430	21 613 430
Manual vacuum wand	21 622 330	21 622 330
Bumper front	21 602 830	21 602 830
Set of wheels PU	21 635 030	21 635 030
Shelter	21 640 180	21 640 180
BluePoint LED Warning light	21 667 030	21 667 030
Accessories	Art. No.	Art. No.
Set squeegee blades	20 645 831	20 645 831
Set squeegee blades, oil resistant	21 668 930	21 668 930
Side shift rubber strip	21 559 001	21 559 001
Side shift rubber strip, oil resistant	21 683 800	21 683 800
Scrub / Cylindrical brushes	ø 530 mm/21", 2x	
Standard	21 518 431	
Soft	21 518 432	
Sica 120	21 518 433	
5K	21 518 436	
Cylindrical brush Standard		970 mm, 2x 21 556 300
columbus pad holder	ø 530 mm/21", 2x 21 518 531	
Pad holder noBAC®	21 651 700	
columbus bristle pad holder	21 518 533	
Pad fixing device	21 072 700	
Batteries Gel	Art. No.	Art. No.
Battery set 36V/240Ah5	21 648 501	21 648 501
Battery set 36V/305Ah5	21 748 801	21 748 801
External charger 36/45A	21 616 200	21 616 200
Batteries Wet	Art. No.	Art. No.
Trough battery 36V/320Ah5*	21 604 601	21 604 601
External charger 36V/45A	21 616 200	21 616 200

* Only useable with external charger

Pads from page 31, Detergents page 33

Walk-behind sweepers

K 80|40

KS 50|BM 40

KS 60|BM 50



Technical data	K 80 40	KS 50 BM 40	KS 60 BM 50
Sweeping principle	Overthrow	Overthrow	Overthrow
Brushes	2	1	1
Working width mm			
w/o / with 1 side brush	470 / 800	510 / 780	600 / 870
Theoretical coverage m ² /h	2800	3120	3480
Waste container l	40	40	51
Filter size m ²	-	2,25	2,68
Filter cleaning	-	manuell	manuell
Voltage / motorization	manuell	12 V, Battery	12 V, Battery
Weight kg	14	62	68
Dimensions l x w x h mm	800 x 660 x 330	1285 x 750 x 965	1380 x 840 x 980
Standard equipment		Main brush/side brush PP, dust filter polyester, without battery and charger	Main brush/side brush PP, dust filter polyester, without battery and charger
	Art. No.	Art. No.	Art. No.
	18 040 001	18 250 101	18 260 101
Optionals ex works		Art. No.	Art. No.
Leftsidebrush		21 767 800	21 767 800
Side brush protection steel		21 767 900	21 767 900
On-Board Charger		21 768 000	21 768 000
Accessories	Art. No.	Art. No.	Art. No.
Side brush PA	20 998 500		
Main brush PA	20 998 300		
Side brush PP standard		21 755 900	21 755 900
Side brush PP+wire		21 755 600	21 755 600
Main brush PP standard		21 755 700	21 758 000
Main brush Nature		21 756 000	
Main brush Nylon		21 755 800	21 756 900
Panel filter polyester standard		21 766 300	21 766 500
Panel filter paper		21 766 400	21 766 600
Batteries Gel		Art. No.	Art. No.
Battery 12V/76Ah5		20 263 711	20 263 711
External charger 12V/15A		21 082 200	21 082 200
Battery 12V/105Ah5		20 264 210	20 264 210
External charger 12V/20A		21 082 400	21 082 400

Ride-on Sweepers

AKS 70|BM 95

AKS 70|BM 95 Performance

AKS 70|VM 95 Performance



Technical data	AKS 70 BM 95	AKS 70 BM 95 Performance	AKS 70 VM 95 Performance
Sweeping principle	Overthrow	Overthrow	Overthrow
Brushes	1	1	1
Working width mm			
w/o side brush	700	700	700
With 1 side brush	990	990	990
With 2 side brush	-	1330	1330
Theoretical coverage m ² /h	5445	7315	7315
Waste container l	95	95	95
Filter size m ²	6	6	6
Filter cleaning	electrical	electrical	electrical
Speed km/h	5,5	5,5	5,5
Voltage / motorization	24 V, Battery	24 V, Battery	Petrol, Honda
Weight kg	210	210	300
Dimensions l x w x h mm	1460 x 1150 x 1220	1460 x 1150 x 1220	1460 x 1150 x 1220
Standard equipment	Main brush/side brush right PP, cylindrical dust filter paper, w/o batteries and charger	Main brush/2 side brushes PP, non marking rubber wheels, non-marking seal strips, cylindrical dust filter polyester, w/o batteries and charger	Main brush/2 side brushes PP, cylindrical dust filter polyester
	Art. No.	Art. No.	Art. No.
	18 270 102	18 270 101	18 270 301
Optionals ex works		Art. No.	Art. No.
Dust cover front		21 768 800	21 768 800
On-Board vacuum black		21 769 100	
On-Board charger 24V 13A		21 768 900	
On-Board charger 24V 25A		21 769 000	
Accessories	Art. No.	Art. No.	Art. No.
Side brush PP, standard	21 766 800	21 766 800	21 766 800
Side brush PP "double section" for fine dust applications	21 757 700	21 757 700	21 757 700
Side brush PP+wire	21 757 500	21 757 500	21 757 500
Main brush PP, standard	21 766 700	21 766 700	21 766 700
Main brush PP "double section" for fine dust applications	21 757 100	21 757 100	21 757 100
Main brush nature	21 757 600	21 757 600	21 757 600
Main brush Nylon	21 757 000	21 757 000	21 757 000
Waste container insert, 2 pieces	21 756 400	21 756 400	21 756 400
Cylinder filter polyester			
standard AKS70 BM95 Performance	21 766 900	21 766 900	21 766 900
Cylinder filter paper			
standard AKS 70 BM 95	21 767 000	21 767 000	21 767 000
Batteries Gel	Art. No.	Art. No.	
Battery set 24V/180Ah5	21 163 800	21 163 800	
External charger 24V/25A*	20 578 902	20 578 902	

* For version with external charger, to be used with adapter 21616201, please order separately (free of charge)

Ride-on Sweepers

AKS 70|BM 95 H

AKS 70|BM 95 H Performance



Technical data	AKS 70 BM 95 H	AKS 70 BM 95 H Performance
Sweeping principle	Overthrow	Overthrow
Brushes	1	1
Working width mm		
w/o side brush	700	700
With 1 side brush	950	950
With 2 side brushes	-	1250
Theoretical coverage m ² /h	5225	6875
Waste container l	95	95
Filter size m ²	5	5
Filter cleaning	electrical	electrical
Speed km/h	5,5	5,5
Voltage / motorization	24 V, Battery	24 V, Battery
Weight kg	312	312
Dimensions l x w x h mm	1360 x 960 x 1180	1360 x 960 x 1180
Standard equipment	Main brush/side brush right PP, cylindrical dust filter paper, high-dumping system, w/o batteries and charger	Main brush/2 side brushes PP, non-marking rubber wheels, non-marking seal strips, cylindrical dust filter polyester, high-dumping system, w/o batteries and charger
	Art. No.	Art. No.
	18 270 202	18 270 201
Optionals ex works		Art. No.
On-Board vacuum black		21 769 500
On-Board charger 24V 13A		21 769 300
On-Board charger 24V 25A		21 769 400
Accessories	Art. No.	Art. No.
Side brush PP standard	21 755 900	21 755 900
Side brush PP+wire	21 755 600	21 755 600
Main brush PP standard	21 766 700	21 766 700
Main brush PP "double section" for fine dust applications	21 757 100	21 757 100
Main brush nature	21 757 600	21 757 600
Main brush nylon	21 757 000	21 757 000
Cylinder filter polyester		
standard AKS70 BM95H Performance	21 766 900	21 766 900
Cylinder filter paper		
standard AKS 70 BM 95H	21 767 000	21 767 000
Batteries Gel	Art. No.	Art. No.
Battery set 24V/180Ah5	21 163 800	21 163 800
External charger 24V/25A*	20 578 902	20 578 902

* For version with external charger, to be used with adapter 20650332, please order separately (free of charge)

Ride-on Sweepers

AKS 85|BM 120 Performance

AKS 85|BM 150 H Performance



Technical data	AKS 85 BM 120 Performance	AKS 85 BM 150 H Performance
Sweeping principle	Overthrow	Overthrow
Brushes	1	1
Working width mm		
w/o side brush	850	850
With 1 side brush	1200	1200
With 2 side brush	1450	1450
Theoretical coverage m ² /h	8700	8700
Waste container l	120	150
Filter size m ²	6	6
Filter cleaning	electrical	electrical
Speed km/h	6	6
Voltage / motorization	36 V, Battery	36 V, Battery
Weight kg	417	536
Dimensions l x w x h mm	1750 x 1150 x 1500	1750 x 1150 x 1500
Standard equipment	Main brush/2 side brushes PP, front seal strip non-marking, dust filter polyester, 2 waste container inserts, w/o batteries and charger	Main brush/2 side brushes PP, front seal strip non-marking, dust filter polyester, high-dumping system, w/o batteries and charger
	Art. No.	Art. No.
	18 290 201	18 290 101
Optionals ex works	Art. No.	Art. No.
Dust cover front	21 769 900	21 769 900
Second suction motor	21 770 100	21 770 100
Complete lighting system	21 770 300	21 770 300
Pocket filter polyester	21 770 400	21 770 400
Pocket filter antistatic	21 770 500	21 770 500
On-Board vacuum black	21 770 600	21 770 600
On-Board charger 36V 25A	21 770 000	21 770 000
Accessories	Art. No.	Art. No.
Side brush PP standard	21 766 800	21 766 800
Side brush PP "double section"		
for fine dust applications	21 757 700	21 757 700
Side brush PP+wire	21 757 500	21 757 500
Main brush PP standard	21 767 100	21 767 100
Main brush PP "double section"		
for fine dust applications	21 757 400	21 757 400
Main brush nature	21 757 200	21 757 200
Main brush nylon	21 757 300	21 757 300
Cylinder filter polyester standard	21 766 900	21 766 900
Cylinder filter paper	21 767 000	21 767 000
Batteries Gel	Art. No.	Art. No.
Battery set 36V/240Ah5	21 648 501	21 648 501
External charger 36V/45A*	21 616 200	21 616 200

* For version with external charger, to be used with adapter 21616201, please order separately (free of charge)

Single disc machines

E 400|S

E 500|E

E 500|S



shown with accessories.

Technical data	E 400 S	E 500 E	E 500 S
Power W	1200	1200	1800
Working width mm	400	500	500
Working height max. mm	285	290	330
Brush speed rpm	140	140	140
Mains cable m	12	12	12
Dimensions l x w x h mm	415 x 550 x 1200	480 x 630 x 1215	480 x 630 x 1215
Weight kg	40	42	50
	Art. No.	Art. No.	Art. No.
	10 820 101	10 800 201	10 800 101

Accessories	Art. No.	Art. No.	Art. No.
Spray unit (kit)	10 701 003	10 701 003	10 701 003
Tank, 12 litres	20 251 630	20 251 630	20 251 630
Extension cable 12 m red	20 588 830	20 588 830	20 588 830
Extension cable 25 m grey	20 588 930	20 588 930	20 588 930
Paper filter bag (PU 20 pcs)	20 599 930	20 599 930	20 599 930
Paper filter bag (PU 120 pcs)	20 599 931	20 599 931	20 599 931
Additional weight 15 kg	20 932 230		
Additional weight 20 kg with felt strips		20 932 330	20 932 330

Scrub brushes	ø 400 mm/16"	ø 460 mm/18"	ø 460 mm/18"
Standard	20 059 031	20 568 931	20 568 931
Soft	20 059 032		
Sica 120	20 059 038		
Shampooing brush	20 059 034	20 568 933	20 568 933
Polishing brush Union	20 059 035		
5K	20 059 057	20 568 937	20 568 937
	ø 406 mm/16"	ø 460 mm/18"	ø 460 mm/18"
columbus pad holder	20 059 044	20 229 145	20 229 145
Pad holder Black Harpoon	21 659 231		
Grinding disc	20 059 042		

Pads, abrasive papers and grinding meshes from page 31.

High-Speed and Ultra-High-Speed Single disc machines

Duo Speed

HS 434

HS 1001

HS 1601



shown with accessories.

Technical data	Duo Speed	HS 434	HS 1001/ HS 1601
Power W	1300/1800	1500	1500
Working width mm	400	430	500
Working height max. mm	330	340	330
Brush speed rpm	150/300	400	1000 / 1600
Mains cable m	12	12	12
Dimensions l x w x h mm	415 x 550 x 1200	450 x 565 x 1170	500 x 770 x 1160
Weight kg	48,5	33	42,5
	Art. No.	Art. No.	Art. No.
	10 820 140	10 440 101	11 220 102
			11 220 202

Accessories	Art. No.	Art. No.	Art. No.
Spray unit (kit)	10 701 003	10 701 003	10 702 003
Tank, 12 litres	20 251 630		
Extension cable 12 m red	20 588 830	20 588 830	20 588 830
Extension cable 25 m grey	20 588 930	20 588 930	20 588 930
Paper filter bag (PU 20 pcs)	20 599 930	20 599 930	20 599 930
Paper filter bag (PU 120 pcs)	20 599 931	20 599 931	20 599 931
Additional weight 15 kg with felt strips	20 932 230		

Scrub brushes	ø 400 mm/16"	ø 430 mm/17"	
Standard	20 059 031		
Soft	20 059 032		
Sica 120	20 059 038		
Shampooing brush	20 059 034		
Polishing brush Union	20 059 035	20 078 339	
5K	20 059 057		
	ø 406 mm/16"	ø 430 mm/17"	
columbus pad holder	20 059 046	20 253 532	
Pad fixing device			20 148 200

Pads from page 31.

Special Single disc machines

E 505|S Ex
Thermopad



shown with accessories.

Technical data	E 505 S Ex	Thermopad
Voltage V	380	
Power W	1000	3050
Brush motor W		900
Heater fan W		2150
Working width max. mm	500	430
Working height max. mm	450	300
Brush speed r/min	142	190
Mains cable m	12	12
Dimensions l x w x h mm	480 x 610 x 1215	450 x 565 x 1170
Protection class	1	
Ex-classification	ATEX II 2G ck EEx de IIC T3	
Weight kg	58	35
	Assembled equipment classified for areas ATEX II 2G eck EEX de IIC T3. For use in zones 1 and 2.	
	Art. No.	Art. No.
	Plastic-made controll box 12 150 005	10 431 101
	Stainless-steel controll box 12 150 006	
Accessories	Art. No.	Art. No.
Spray unit (kit)		10 701 003
Tank, 12 litres		20 251 630
Extension cable 12 m red		20 588 830
Extension cable 25 m grey		20 588 930
Scrub brush explosion proof	20 034 247	
Pad holder explosion proof	20 987 230	
	ø 483 mm/19"	
Scrub pad 3/30	20 787 000	
Scrub pad 3/30 (PU 10 pcs)	20 787 030	
		ø 406 mm/16"
columbus pad holder alum.		20 253 235

Detergents page 33

Excenter machines

X 500
X 500|S



shown with accessories.

Technical data	X 500	X 500 S
Power W	750	1200
Working width mm	500	500
Working height max. mm	335	240
Speed / Rotation rpm	2810	3000
Mains cable m	12	12
Dimensions l x w x h mm	540 x 500 x 1170	540 x 500 x 1170
Weight kg	53,5	56
Protection class	IPX4 / IP55 (Motor)	IPX4
	Art. No.	Art. No.
	10 311 000	10 310 000
Accessories	Art. No.	Art. No.
Tank, complete, 12 Liter	21 655 030	21 655 030
Add. weight 15 kg	21 634 130	21 634 130
	356 x 510 mm/14"x20"	356 x 510 mm/14"x20"
Super Pad black, PU 5 St.	21 664 100	21 664 100
Super Pad red, PU 5 St.	21 663 500	21 663 500
Super Pad green, PU 5 St.	21 663 400	21 663 400
Microfaserpad, PU 5 St.	21 663 600	21 663 600
Scrub Pad green, PU 4 St.	21 663 700	21 663 700
	355 x 508 mm/14"x20"	355 x 508 mm/14"x20"
Suprashine RG red 400, PU 2 St.	21 927 704	21 927 704
Suprashine RG white 800, PU 2 St.	21 927 703	21 927 703
Suprashine RG yellow 1800, PU 2 St.	21 927 702	21 927 702
Suprashine RG green 3500, PU 2 St.	21 927 701	21 927 701
Spurashine RG silver 8000, PU 2 St.	21 927 700	21 927 700
Spurashine HD red 400, PU 2 St.	21 931 105	21 931 105

Pads from page 31, Detergents page 33

Spray extraction machines

SX 44

SX 344

TA 50|K 50



Technical data	SX 44	SX 344	TA 50 K 50
Power W	1570	1580	1580
Spray quantity l/min.	1,5	4,5	4,5
Spray pressure bar	4	9	9
Air flow max. l/s	45	45	45
Low pressure max. mbar	295	294	333
Solution tank capacity l	14	30	50
Recovery tank capacity l	14	30	50
Suction hose m	2,5	5	5
Mains cable m	10	10	15
Dimensions l x w x h mm	300 x 420 x 530	380 x 500 x 780	500 x 860 x 950
Weight kg	12	24	55
Standard equipment	Spray-suction-hose 2,5 m, suction tube, floor tool plastic with 27 cm and 1 spray nozzle included	Spray-suction-hose 5 m, suction tube, floor tool aluminium with 30 cm and 3 spray nozzle included	with spray-extraction-brush-unit
	Art. No.	Art. No.	Art. No.
	11 063 001	11 066 001	11 064 001

Accessories		Art. No.
Hand tool aluminium	working width 100 mm, 1 spray nozzle	20 770 000
Hand tool plastic	PP, working width 100 mm, 1 spray nozzle	20 770 100
Floor lance plastic	working width 270 mm, 1 spray nozzle	20 877 430
Floor lance aluminium	working width 300 mm, 3 spray nozzles	21 386 400
Floor tool combi	working width 270 mm, 3 spray nozzles, for hard floors too	20 770 200
Power brush	working width 270 mm, 3 spray nozzles	21 386 500
Spray-and-suction-hose	2,5 m, ø 32 mm, for SX 44	20 780 830
Spray-and-suction-hose	5 m, ø 38 mm, for tools combined with SX 344 und TA 50 K 50	21 386 300

		SX 44	SX 344	TA 50 K 50
Hand tool aluminium	20 770 000	optional	optional	optional*
Hand tool plastic	20 770 100	optional	optional	optional*
Floor lance plastic	20 877 430	standard	optional	optional*
Floor lance aluminium	21 386 400	optional	standard	optional*
Floor tool combi	20 770 200	optional	optional	optional*
Power brush	21 386 500	no	optional	optional*
Spray-and-suction-hose	20 780 830	standard	no	no
Spray-and-suction-hose	21 386 300	no	standard	optional

* In conjunction with spray-and-suction-hose art. no. 20 780 830 for SX 44 or spray-and-suction-hose art. no. 21 386 300 for SX 344 and TA 50|K 50.

Upright vacuum cleaners

BS 361 eco

BS 461 eco

XP 3 eco



Technical data	BS 361 eco	BS 461 eco	XP 3 eco
Power W	875	895	890
Air flow max. l/s	45	45	43,3
Low pressure max. mbar	165	165	243
Volume paper filter bag l	5	5	5,3
Brush speed rpm	3300	3300	2700
Working width mm	360	460	448
Mains cable m	12	12	12
Brush drive	Toothed belt	Toothed belt	Toothed belt
Dimensions l x w x h mm	260 x 360 x 1240	260 x 460 x 1240	315 x 455 x 1190
Weight kg	8,8	9,4	8,2
Safety class	II	II	II
Standard equipment	with 1 set accessories "standard, incl. 1 paper filter bag	with 1 set accessories "standard, incl. 1 paper filter bag	with 1 set accessories "standard, incl. 1 paper filter bag
	Art. No.	Art. No.	Art. No.
	11 643 101	11 644 101	11 645 003

Accessories "Standard"	Art. No.	Art. No.	Art. No.
Brush strips standard	20 207 531	20 212 131	
Crevice tool	20 212 900	20 212 900	20 212 900
Fixing device	20 212 830	20 212 830	
Exhaust air filter HEPA	21 527 700	21 527 700	
Upholstery tool			20 609 100
Round brush set			20 805 530
Micro-exhaust air filter			21 530 700
Micro-hygiene filter			20 600 700

Accessories "Extra"	Art. No.	Art. No.	Art. No.
Brush strips hard (red)	20 207 532	20 212 132	
Paper filter bag (PU 20 pcs)	20 208 430	20 208 430	20 599 930
Paper filter bag (PU 120 pcs)			20 599 931
Paper filter bag (PU 200 pcs)	20 208 431	20 208 431	
Microfilter (class M)	20 213 200	20 213 200	
Extension hose 1,7 m	20 597 300	20 597 300	20 597 300
Filterset complete (10 pcs paper filter bag, 1 micro-hygiene filter class M)			20 615 630
Hepa-Box (8 pcs paper filter bag ultra, 1 Hepa filter H 13)			20 889 230
Extension tube ø 40 mm, 480 mm long			20 213 100

Vacuum cleaners

ST 7
ST 11
ST 11 pro



Technical data	ST 7	ST 11	ST 11 pro
Power W	720	720	720
Air flow max. l/s	31	31	31
Low pressure max. mbar	222	222	222
Volume fleece filter bag l	7	11	11
Volume tank l	11	14	14
Suction hose m	2	2	2,5
Mains cable m	10	10	15
Dimensions l x w x h mm	350 x 280 x 400	390 x 300 x 410	390 x 300 x 410
Weight kg	4,8	6,7	6,7
Safety class	II	II	II
Standard equipment	with 1 set accessories "standard", incl. 1 fleece filter bag	with 1 set accessories "standard", incl. 1 fleece filter bag	with 1 set accessories "standard", incl. 1 fleece filter bag
	Art. No.	Art. No.	Art. No.
	12 700 011	12 600 011	12 610 011
Accessories "Standard"	Art. No.	Art. No.	Art. No.
Floor tool combi ø32 mm, 270 mm	21 152 300	21 152 300	21 152 300
bent tube antistatic ø 32 mm, with air regulation	21 003 201	21 003 201	21 003 201
Suction hose 2 m, ø32 mm	21 000 900	21 000 900	
Suction hose 2,5 m, ø 32 mm			21 152 100
Suction tube, ø32 mm, 2 pcs needed	21 000 200	21 000 200	
Telescopic tube, ø32 mm			21 151 801
Extension cable 10 m, orange	21 000 431	21 000 432	
Extension cable 15 m, orange			21 150 641
Upholstery tool, ø 32 mm	21 000 500	21 000 500	21 000 500
Crevice tool, ø32 mm	21 000 600	21 000 600	21 000 600
Cloth bag standard H7	21 000 300	21 151 030	21 151 030
Filter frame exhaust air filter		21 150 530	
Exhaust air filter		21 150 400	
Exhaust air filter complete with frame			21 151 901
Accessories "Extra"	Art. No.	Art. No.	Art. No.
Fleece filter bag Bioneem, PU 20 pcs	21 934 300	21 934 200	21 934 200
Fleece filter bag Bioneem, PU 200 pcs	21 934 331	21 934 231	21 934 231
Cloth bag	21 032 400		
Power brush air driven ø32 mm, 300 mm, only for fibre bonded floor coverings	21 015 200	21 015 200	21 015 200
Floor tool for hard floors, with brush strips, ø32 mm, 300 mm	21 017 500	21 017 500	21 017 500
Extension cable 15 m, orange		21 150 641	
Exhaust air filter complete with frame		21 151 901	
Filter frame exhaust air filter			21 150 530
Exhaust air filter			21 150 400
Suction tube steel			21 000 200
Electric brush-kit, consisting of:			21 151 830
Electric brush, ø32 mm, 275 mm			21 151 811
Suction hose with bent tube, 2 m			21 151 812
Telescopic tube			21 151 813
Bayonet fitting			21 373 600

Wet/Dry vacuum cleaners

SW 3000



Technical data		SW 3000
Power W		1100
Air flow max. l/s		54
Low pressure max. mbar		210
Volume tank l		44
Volume filter bag l		10
Suction hose m		2,5
Mains cable m		12
Dimensions l x w x h mm		Ø 410 x 630
Weight kg		10
Safety class		II
Number of motors		1
Standard equipment		with 1 set accessories "standard"
		Art. No.
		12 053 001
Accessories "Standard"		Art. No.
Suction hose 2,5 m	Ø 40 mm, to suction tube 20179900	20 068 731
Suction tube	Ø 40 mm, to suction hose 20068731	20 179 900
Squeegee tool 45 cm	Ø 40 mm, with rubber blades	20 272 930
Set rubber blades 45 cm	f. squeegee tool 20272930, PU 3pcs	20 259 531
Accessories "Extra"		Art. No.
Suction hose 5 m	Ø 40 mm, to suction tube 20179900	20 089 831
	Ø 40 mm, to suction hose 20068731	
Crevice tool	and 20089831	20 021 500
Set rubber blades	f. squeegee tool 45 cm, PU 3 set	20 259 731
Accessories SW 3000 for dry applications		Art. No.
Suction hose 2,5 m	Ø 40/30 mm	20 135 134
Suction tube, 2 pcs	Ø 30 mm	20 134 231
Upholstery tool	Ø 30 mm	20 133 600
Crevice tool	Ø 30 mm	20 133 500
	Ø 40/30 mm, for accessories with Ø 30 mm	
Reduction piece	to suction tube 20179900	20 137 601
Power brush	air driven	20 239 300
Cloth filter		20 235 300
Cloth filter special		20 236 800
Fleece filter bag	10 litres, PU 20 pcs	20 236 631

Wet/Dry vacuum cleaners

SW 30|P/S

SW 50|P/S

SW 52|P/S

SW 53|P/S



Technical data	SW 30 P / S	SW 50 P / S	SW 52 P / S	SW 53 P / S
Nennleistung, gesamt W	1200	1200	2400	3300
Luftmenge max. l/s	58	58	116	175
Unterdruck max. mbar	240	240	240	240
Volumen Behälter l	35 / 32	72 / 62	72 / 78	72 / 78
Volumen Staubbeutel l	15	25	25	25
Saugschlauch m	2,5	2,5	2,5	2,5
Netzkabel m	12	12	12	12
L x B x H mm	450x450x820 / 450x450x830	570x570x1030 / 520x520x960	650 x 590 x 1050	650 x 590 x 1050
Gewicht kg	13	20 / 19	29,5 / 30	32 / 32,5
Schutzklasse	II	II	II	II
Motorenanzahl	1	1	2	3
Standard equipment	with 1 set accessories "standard"	with 1 set accessories "standard"	with 1 set accessories "standard"	with 1 set accessories "standard"
	Art. No.	Art. No.	Art. No.	Art. No.
Tank plastic	12 930 101	12 950 101	12 952 101	12 953 101
Tank stainless steel	12 930 201	12 950 201	12 952 201	12 953 201

Accessories "Serie"	SW 30 / 50 / 52 / 53	Art. No.	
Set accessories consisting of:		20 587 930	
- Suction hose 2,5 m	ø 38 mm	20 539 202	
- Bent tube	ø 38 mm	20 648 000	
- Suction tube	ø 38 mm, 2 pieces needed	20 648 100	
- Squeegee tool	working width 40 cm	20 619 630	
- Floor tool	working width 40 cm	20 619 530	
- Crevice tool	ø 50 mm, only with reduction piece	20 539 700	
- Dust tool	ø 50 mm, only with reduction piece	20 619 700	
- Round tool/reduction piece	ø 38 / 50 mm	20 619 400	
Cloth bag complete SW 30 P		20 563 630	
Cloth bag complete SW 30 S		20 563 730	
Cloth bag complete SW 50 P / S, SW 52/53 P		20 563 830	
Cloth bag complete SW 52/53 S		20 520 330	

Accessories "Extra"	SW 30 / 50 / 52 / 53	Art. No.	
Set squeegee blades	oil resistant	20 874 900	
Adapter		20 661 200	For the connection of squeegee tool, floor tool 20539630 and carpet floor tool 20568600 to suction tube 20648100
Floor tool special	incl. 1 set rubber blades+brush strip	20 661 130	
Carpet floor tool	only with adapter 20661200	20 568 600	
Upholstery tool	only with reduction piece 20539900	20 538 800	
Reduction piece	connection of uphol. tool 20538800	20 539 900	
Suction hose 5m	ø 38 mm, complete	20 562 831	
Suction hose 10m	ø 38 mm, complete	20 562 832	
Suction hose 15m	ø 38 mm, complete	20 562 833	
Set rubber blades (PU 3 set)	for squeegee tool 20619630	20 563 431	
Set brush strips (PU 3 set)	for floor tool 20619530	20 563 331	
Fleece filter bag	SW 30, PU 10 pcs	20 630 831	
Fleece filter bag	SW 50/52/53, PU 5 pcs	20 540 531	

Accessories "Extra"	SW 52 / 53	Art. No.	
Microfilter SW 52/53	(H 13)	20 519 700	as basic equipment ring 20519800 is needed additionally
Fixed squeegee tool 60 cm		20 540 230	
Set rubber blades	PU 3 set	20 566 331	
Fixed floor tool 60 cm		20 540 130	
Set brush strips	PU 3 set	20 566 431	
Suction hose for fixed tools		20 540 300	

Industrial dry vacuum cleaners

IDV 13

IDV 20



Technical data		IDV 13	IDV 20
Power		230 V / 1,15 KW	230 V / 2,3 KW
Air volume max. m³/h		180	360
Low pressure max. mmH2O		2500	2500
Volume tank l		13	20
Mains cable m		10	10
Dimensions l x w x h mm		500 x 480 x 850	500 x 480 x 1100
Weight kg		30	40
Suction connection in mm		50	50
Safety class		IP 44	IP 44
Number of motors		1	2
Standard equipment		Galvanized steel tank, epoxy coated, incl. cartridge filter class M, socket	Galvanized steel tank, epoxy coated, incl. cartridge filter class M
		Art. No.	Art. No.
		19 110 131	19 110 201
Optionals ex works		Art. No.	Art. No.
Electrical grounding		21 499 700Z	21 499 700Z
Plug socket automatic switch-on for electric tools		21 499 100Z	
Filter dust class M Teflon			21 499 200Z
Filter antistatic class M			21 499 300Z
Filter dust class H		21 498 800Z	21 498 800Z
Tank stainless steel V2A		21 498 900Z	21 499 500Z
Tank stainless steel V2A & filter chamber		21 499 000Z	21 499 600Z
Accessories		Art. No.	Art. No.
Set accessories "Standard" consisting of:		21 468 130	21 468 130
- Suction hose 2,5 m	ø 38 mm, complete	21 468 630	21 468 630
- Suction tube	ø 38 mm, chromplated, 2 pieces	21 468 700	21 468 700
- Floor tool with brush strips	ø 38 mm, working width 400 mm	21 468 800	21 468 800
- Dust nozzle	ø 40 mm	21 468 400	21 468 400
- Connection piece ø 50 mm	(f. conn. suction hose/vac nozzle)	21 468 500	21 468 500
Set accessories "Professional" consisting of:		21 469 830	21 469 830
- Suction hose 3m	ø 38 mm, complete	21 468 631	21 468 631
- Suction tube	ø 38 mm, aluminium, 1 piece	21 469 600	21 469 600
- Floor tool with brush strips	ø 38 mm, working width 430 mm	21 469 900	21 469 900
- Dust nozzle	ø 40 mm	21 468 400	21 468 400
- Aluminium lance	ø 40 mm	21 469 500	21 469 500
- Handtool rubber	Conical, with connection (suitable to machine cleaning)	21 468 900	21 468 900
- Connection piece ø 50 mm	(f. conn. suction hose/vac nozzle)	21 468 500	21 468 500
Circular brush strip (1 piece)	for floor tool 21468800, 400 mm	21 468 600	21 468 600
Brush strip (1 piece)	for floor tool 21469900, 430 mm	21 470 400	21 470 400
Filter dust class M		21 478 700	21 478 400
Filter dust class H		21 498 800	21 498 800
Tank stainless steel V2A		21 498 900	21 499 500
Filter dust class M Teflon			21 499 200
Filter antistatic class M			21 499 300

Other lengths and diameters of hoses, special configurations, pre-separator, centralized vacuum systems and vacuum systems for Atex zones on request.

Industrial dry vacuum cleaners

IDV 60

IDV 60 eco

IDV 100



Technical data	IDV 60	IDV 60 eco	IDV 100
power	230 V / 3,45 KW	400 V / 2,2 KW	400 V / 5,5 KW
Air volume max. m³/h	540	330	550
Low pressure max. mmH2O	2500	3000	3000
Volume tank l	60	60	100
Mains cable m	10	10	10
Dimensions l x w x h mm	580 x 600 x 1350	700 x 700 x 1600	620 x 1100 x 1500
Weight kg	70	80	100
Suction connection in mm	80	80	80
Safety class	IP 44	IP 55	IP 55
Number of motors	3	1	1
Standard equipment	Galvanized steel tank, epoxy coated, incl. star filter class L	Galvanized steel tank, epoxy coated, incl. star filter class L	Galvanized steel tank, epoxy coated, incl. star filter class L
	Art. No.	Art. No.	Art. No.
	19 110 601	19 110 611	19 111 001
Optionals ex works	Art. No.	Art. No.	Art. No.
Tank 100 l	21 500 100Z		
Tank stainless steel V2A	21 500 200Z	21 500 200Z	21 501 000Z
Tank stainless steel V2A & filter chamber	21 500 300Z	21 500 300Z	21 501 100Z
Filter dust class M	21 501 900Z	21 501 900Z	21 477 200Z
Filter dust class M Teflon	21 500 400Z	21 500 400Z	21 501 200Z
Filter antistatic class L	21 500 500Z		21 501 300Z
Filter antistatic class M	21 500 600Z	21 500 600Z	21 501 400Z
Filter dust class H	21 500 700Z	21 500 700Z	
Electrical grounding MT	21 500 800Z		21 501 500Z
Pressure control valve	21 500 900Z	21 500 900Z	21 501 600Z
Accessories	Art. No.	Art. No.	Art. No.
Set accessories "Professional" consisting of:	21 470 030	21 470 030	21 470 030
- Suction hose compl., ø50 mm, 3 m	21 470 130	21 470 130	21 470 130
- Suction tube, ø50 mm, Alu, 1 piece	21 470 300	21 470 300	21 470 300
- Connection piece, steel reduction 80/50 mm	21 469 400	21 469 400	21 469 400
- Aluminium lance, bent, ø50 mm	21 470 500	21 470 500	21 470 500
- Floor tool with brush strips ø 50 mm, working width 430 mm	21 477 800	21 477 800	21 477 800
Tank stainless steel V2A	21 500 200	21 500 200	21 501 000
Filter dust class L	21 476 900	21 476 900	21 476 500
Filter dust class M	21 477 200	21 477 200	21 477 200
Filter dust class M Teflon	21 500 400	21 500 400	21 501 200
Filter antistatic class L	21 500 500	21 500 500	21 501 300
Filter antistatic class M	21 500 600	21 500 600	21 501 400
Filter dust class H	21 500 700	21 500 700	
Brush strip (1 piece) for floor tool 21477800, 430 mm	21 470 400	21 470 400	21 470 400

Other lengths and diameters of hoses, special configurations, pre-separator, centralized vacuum systems and vacuum systems for Atex zones on request.

Industrial wet vacuum cleaners

IWV 80
IWV 80 pump
IWV 40|100



Technical data	IWV 80	IWV 80 pump	IWV 40 100
Power	230 V / 2,3 KW	230 V / 2,3 kW	230 V / 3,45 KW
Air volume max. m³/h	360	360	540
Low pressure max. mmH2O	2500	2500	2300
Volume tank l	80	80	40 (Feststoffe)/100
Mains cable m	10	10	10
Dimensions l x w x h mm	500 x 480 x 1080	530 x 660 x 1080	580 x 600 x 1100
Weight kg	30	40	48
Suction connection in mm	80	50	80
Safety class	IP 44	IP 44	IP 44
Number of motors	2	2	3
Standard equipment	Galvanized steel tank, epoxy coated	Stainless steel chassis, suction head with submersible pump, access. fit only with connection piece 21468500.	Galvanized steel tank, epoxy coated, incl. chips basket 40 litres and filter PPL
	Art. No.	Art. No.	Art. No.
	19 120 801	19 120 802	19 121 001
Optionals ex works	Art. No.		Art. No.
Tank stainless steel V2A	21 499 800Z		21 499 900Z
Tank stainless steel V2A + chips basket			21 500 000Z
Accessories	Art. No.	Art. No.	
Set accessories "Standard" consisting of:			
- Suction hose compl., ø38 mm, 3 m	21 469 030	21 469 030	
- Suction tube, ø38 mm, chrome plated, 2 pieces	21 468 631	21 468 631	
- Floor tool with brush strips ø 38 mm, working width 400 mm	21 468 700	21 468 700	
- Lance PVC, ø40 mm	21 469 200	21 469 200	
- Connection piece steel reduction 80/50 mm	21 469 100	21 469 100	
	21 469 400	21 469 400	
Set accessories "Professional" consisting of:			
- Suction hose compl., ø38 mm, 3 m	21 469 330	21 469 330	
- Suction tube, ø38 mm, aluminium 1 piece	21 468 631	21 468 631	
- Floor tool with rubber blades Silicon + PU, ø 38 mm, 430 mm	21 469 600	21 469 600	
- Aluminium lance, ø40 mm	21 469 600	21 469 600	
- Connection piece steel reduction 80/50 mm	21 469 700	21 469 700	
Connection piece ø50 mm	21 469 500	21 469 500	
Rubber blade for floor tool 21469200, 400 mm	21 469 400	21 469 400	
Rubber blade (Silicon+PU) for floor tool 21469700, 400 mm		21 468 500	
	21 471 300	21 471 300	
	21 476 700	21 476 700	
Set accessories "Professional" consisting of:			21 470 730
- Suction hose PU with steel spirals ø50 mm, 3,0 m			21 471 330
- Aluminium lance, ø50 mm			21 471 200
- Hand tool rubber conic with connection, ø 50 mm			21 471 100
- Connection piece steel reduction 80/50 mm			21 469 400
- Bent connection, ø50 mm			21 470 900
Tank stainless steel V2A			21 499 900
Tank stainless steel V2A + chips basket			21 500 000
Filter PPL 300 Micron for separation of fine metal particles up to 300 micron			21 629 100

Travelator/Escalator cleaning machines

travel 600
step 110



Technical data	travel 600	step 110
Rated Voltage V	230	230
Power W	3000	2650
Suction width mm	2 x 220	520
Solution tank capacity l	15	20
Recovery tank capacity l	15	20
Brushes	4	18
Step height min. mm		185
Step height max. mm		235
Low pressure mbar	300	
Dimensions l x w x h mm	1195 x 536 x 930	1094 x 540 x 1001
Empty Weight kg	126	164
Standard equipment		with brush set and hand accessoires
	Art. No.	Art. No.
	19 060 001	19 070 001
Trolley		21 284 730
Optionals ex works		Art. No.
Touchdisplay step		29 080 001Z
Accessories	Art. No.	Art. No.
Hand accessories consisting of hand brush, strip tool, several joint rakes	21 583 700	21 290 230
Brush set 4 pieces	21 360 330	
Brush set 19 pieces		21 290 331

Detergent page 33

Pads

Super Pads

Special Pads

Abrasive paper & Grinding mesh

Super Pads		Art. No.	Art. No.	Art. No.	Art. No.
Super Pad Black	PU 5 pieces	330 mm/13" 20 553 900	355 mm/14"	406 mm/16" 20 554 100	432 mm/17" 20 554 200
Super Pad Blue	PU 5 pieces	20 253 800		20 043 300	20 254 500
Super Pad Red	PU 5 pieces	20 253 900	21 028 302	20 043 400	20 031 600
Super Pad White	PU 5 pieces	20 930 400		20 043 500	20 031 700
Super Pad Green	PU 5 pieces		21 028 301	20 811 800	
		482 mm/19"	508 mm/20"	533 mm/21"	356 x 510 mm
Super Pad Black	PU 5 pieces	20 554 400	20 554 500	20 554 600	21 664 100
Super Pad Blue	PU 5 pieces	20 229 300	20 254 700	20 255 100	
Super Pad Red	PU 5 pieces	20 229 400	20 254 600	20 255 200	21 663 500
Super Pad White	PU 5 pieces		21 584 100	21 974 000	
Super Pad Green	PU 5 pieces			21 660 801	21 663 400

Microfibre Pads		Art. No.	Art. No.	Art. No.	Art. No.
One-sided use only		330 mm/13"	355 mm/14"	432 mm/17"	508 mm/20"
Microfiber pad white/blue	PU 5 pieces	20 255 400	21 028 303	20 255 700	20 255 900
		356 x 510 mm			
Microfiber pad white/blue	PU 5 pieces	21 663 600			

Melamine Pads		Art. No.	Art. No.	Art. No.	Art. No.
One-sided use only		330 mm/13"	370 mm/14,5"	410 mm/16"	430 mm/17"
Melamine pad grey-white	PU 5 pieces	21 384 000	21 384 100	21 384 200	21 384 300
		508 mm/20"			
Melamine pad grey-white	PU 5 pieces	21 387 700			

For the use of Microfiber and Melamine pads with scrubber dryers, the pad lock (Art. No. 20148200) is recommended.

Scrub Pad			Art. No.
Scrub Pad Green	PU 4 pieces	356 x 510 mm	21 663 700

Special cleaning with E 400 S			Art. No.
Hi Pro Pad	Industrial cleaning	PU 5 pieces	381 mm/15" 20 252 800
Queen Bonnet Pad	Carpet cleaning	PU 5 pieces	432 mm/17" 20 356 100

Thermopad system			Art. No.
Queen Bonnet Pad	PU 5 pieces	432 mm/17"	20 356 100
Aktive Pad	PU 5 pieces	432 mm/17"	20 578 001
Agitator pad for carpet drying	PU 6 pieces	432 mm/17"	20 356 200

Restoring of protected floors with HS 434			Art. No.
Super Pad Green	PU 5 pieces	432 mm/17"	20 811 900
Super Pad Brown	PU 5 pieces	432 mm/17"	20 031 500
Super Pad Blue	PU 5 pieces	432 mm/17"	20 254 500

Abrasive paper for E 400 S		Art. No.	Art. No.	Art. No.	Art. No.
Useable on both sides w. grinding disc Art. No. 20059042		K-G 16	K-G 24	K-G 30	K-G 40
Abrasive paper	372 mm	20 041 300	20 044 000	20 039 300	20 043 900
		K-G 60	K-G 80	K-G 100	
Abrasive paper	372 mm	20 043 800	20 043 700	20 043 600	

Grinding mesh for E 400 S		Art. No.	Art. No.	Art. No.	Art. No.
Useable on both sides w. pad holder and super pad black		K-G 60	K-G 80	K-G 100	K-G 120
Grinding mesh	406 mm/16"	20 256 000	20 256 100	20 256 200	20 256 300
		K-G 150	K-G 180		
Grinding mesh	406 mm/16"	20 256 500	20 256 400		

*PU = packing unit

Pads

Suprashine

Suprashine Pads Regular (RG)		Art. No.	Art. No.	Art. No.	Art. No.
Suprashine RG Red 400	PU 2 pieces		127 mm/5"	152 mm/6"	203 mm/8"
Suprashine RG White 800	PU 2 pieces		21 925 904	21 926 004	21 926 104
Suprashine RG Yellow 1800	PU 2 pieces		21 925 903	21 926 003	21 926 103
Suprashine RG Green 3500	PU 2 pieces		21 925 902	21 926 002	21 926 102
			21 925 901	21 926 001	21 926 101
		229 mm/9"	254 mm/10"	280 mm/11"	305 mm/12"
Suprashine RG Red 400	PU 2 pieces	21 926 204	21 926 304	21 926 404	21 926 504
Suprashine RG White 800	PU 2 pieces	21 926 203	21 926 303	21 926 403	21 926 503
Suprashine RG Yellow 1800	PU 2 pieces	21 926 202	21 926 302	21 926 402	21 926 502
Suprashine RG Green 3500	PU 2 pieces	21 926 201	21 926 301	21 926 401	21 926 501
		330 mm/13"	355 mm/14"	380 mm/15"	406 mm/16"
Suprashine RG Red 400	PU 2 pieces	21 926 604	21 926 704	21 926 804	21 926 904
Suprashine RG White 800	PU 2 pieces	21 926 603	21 926 703	21 926 803	21 926 903
Suprashine RG Yellow 1800	PU 2 pieces	21 926 602	21 926 702	21 926 802	21 926 902
Suprashine RG Green 3500	PU 2 pieces	21 926 601	21 926 701	21 926 801	21 926 901
		432 mm/17"	457 mm/18"	482 mm/19"	508 mm/20"
Suprashine RG Red 400	PU 2 pieces	21 927 004	21 927 104	21 927 204	21 927 304
Suprashine RG White 800	PU 2 pieces	21 927 003	21 927 103	21 927 203	21 927 303
Suprashine RG Yellow 1800	PU 2 pieces	21 927 002	21 927 102	21 927 202	21 927 302
Suprashine RG Green 3500	PU 2 pieces	21 927 001	21 927 101	21 927 201	21 927 301
Suprashine RG Silver 8000	PU 2 pieces	21 927 005			
		533 mm/21"	610 mm/24"	355 x 508 mm/14"x20"	355 x 711 mm/14"x28"
Suprashine RG Red 400	PU 2 pieces	21 927 404		21 927 704	21 927 804
Suprashine RG White 800	PU 2 pieces	21 927 403		21 927 703	
Suprashine RG Yellow 1800	PU 2 pieces	21 927 402		21 927 702	
Suprashine RG Green 3500	PU 2 pieces	21 927 401	21 927 601	21 927 701	
Suprashine RG Silver 8000	PU 2 pieces			21 927 700	
Suprashine Pads High Performance (HP)		Art. No.	Art. No.	Art. No.	Art. No.
Suprashine HP Orange 800	PU 2 pieces	254 mm/10"	280 mm/11"	305 mm/12"	330 mm/13"
Suprashine HP Blue 1800	PU 2 pieces	21 927 907	21 928 002	21 928 102	21 928 202
Suprashine HP Pink 3500	PU 2 pieces	21 927 908	21 928 001	21 928 101	21 928 201
			21 928 008	21 928 108	21 928 208
		355 mm/14"	380 mm/15"	406 mm/16"	432 mm/17"
Suprashine HP Orange 800	PU 2 pieces	21 928 302	21 928 402	21 928 502	21 928 602
Suprashine HP Blue 1800	PU 2 pieces	21 928 301	21 928 401	21 928 501	21 928 601
Suprashine HP Pink 3500	PU 2 pieces	21 928 308	21 928 408	21 928 508	21 928 608
		457 mm/18"	482 mm/19"	508 mm/20"	533 mm/21"
Suprashine HP Orange 800	PU 2 pieces	21 928 702	21 928 802	21 928 902	21 929 002
Suprashine HP Blue 1800	PU 2 pieces	21 928 701	21 928 801	21 928 901	21 929 001
Suprashine HP Pink 3500	PU 2 pieces	21 928 708	21 928 808	21 928 908	21 929 008
		559 mm/22"	610 mm/24"	686 mm/27"	711 mm/28"
Suprashine HP Pink 3500	PU 2 pieces	21 929 108	21 929 208	21 929 308	21 929 408
		355 x 508 mm/14"x20"	355 x 711 mm/14"x28"	14"x32"	
Suprashine HP Orange 800	PU 2 pieces	21 929 502	21 929 602		
Suprashine HP Blue 1800	PU 2 pieces	21 929 501	21 929 601		
Suprashine HP Pink 3500	PU 2 pieces	21 929 508	21 929 608	21 929 708	
		120 x 250 mm			
Suprashine HP Orange 800	PU 2 pieces	21 929 802			
Suprashine HP Blue 1800	PU 2 pieces	21 929 801			

*PU = packing unit

Pads

Suprashine

Suprashine Hand pads		Art. No.	
		125 x 250 mm	
Suprashine RG Red 400	PU 2 pieces	21 929 904	
Suprashine RG White 800	PU 2 pieces	21 929 903	
Suprashine RG Yellow 1800	PU 2 pieces	21 929 902	
Suprashine RG Green 3500	PU 2 pieces	21 929 901	
Suprashine HD Red 400	PU 2 pieces	21 929 905	

Suprashine Hybrid Pads		Art. No.	
		127 mm/5", variable for all sizes	
Suprashine HB Hybrid 100	PU 5 pieces	21 930 006	
Suprashine HB Hybrid 400	PU 5 pieces	21 930 106	

Suprashine Heavy Duty Pads		Art. No.	Art. No.	Art. No.	Art. No.
		305 mm/12"	330 mm/13"	355 mm/14"	380 mm/15"
Suprashine HD Red 400	PU 2 pieces	21 930 205	21 930 305	21 930 405	21 930 505
		406 mm/16"	432 mm/17"	457 mm/18"	508 mm/20"
Suprashine HD Red 400	PU 2 pieces	21 930 605	21 930 705	21 930 905	21 931 005
Suprashine HD Braun 220	PU 2 pieces		21 930 805		
		355 x 508 mm/14"x20"			
Suprashine HD Red 400	PU 2 pieces	21 931 105			

Detergents	PH-Value	Art. No.
Carpet cleaner "Teppichreiniger 2000" Surfactant-free carpet and textile cleaner for manual and machine cleaning and care of textile floor coverings. Ideally suited for use with in the thermo pad process. Extra foam-free and odourless. Ingredients: 5 – 15 % phosphates, preservatives, cleaning enhancers, and additives.	8,5	Packaging: 6 x 1 Liter, carton 21 732 000
Roto-Escal Detergent for use with the travel 600 and step 110 cleaning machines.		Packaging: 10 litres, canister 20 921 000

General Information

General Terms of Conditions

Please see our general terms and conditions on our website **www.columbus-clean.com**

With appearance of this price list V1/1-2026 all previous ones become invalid.
The products shown on the pictures in this price list may be subject to technical alteration
and may differ from the standard equipment.

Headquarters Stuttgart

G. Staehle GmbH u. Co. KG
columbus Reinigungsmaschinen
Mercedesstr. 15
70372 Stuttgart, Germany
Phone +49 711 9544-960
export@columbus-clean.com
www.columbus-clean.com